



Marine Revolution Trailers



JS06 Vario

Boat types: AV3500, Mac 360, Mac Attack.

Utilises bolt fixings thus allowing axles, roller assemblies positions to be adjusted so that the trailer is correctly set-up for your PWC or inflatable

Height & width adjustable bunk supports

Height adjustable settings for bunk support posts

Gross Vehicle Weight: 650Kgs

Unladen weight: 110Kgs

Carrying capacity: 400Kgs

Length capacity: Adjustable up to 4m

Leaf spring suspension

Single solid axle with 4.80 x 12 wheels & tyres

Hot dipped galvanised steel chassis

Winch post inc snubber

Pressed steel 50mm ball hitch and secondary coupling

2 x carpeted bunk supports

Telescopic jockey wheel

Options include:

Spare wheel & carrier

Triplelock (Anti-theft Hitch)

Lighting board

Winch & strap



Merit 1

Boat types: AV3500, Mac 360, Mac Attack.

Suitable for hard hull boats

Full adjustability in all dimensions

Multi-height adjustability via a combination of multi-drilled support rails and cross member position (above and below chassis)

High strength, low weight chassis

Low entry price, but with customisation ability utilising options list

Gross Vehicle Weight: 350Kgs

Unladen weight: 100Kgs

Carrying capacity: 250Kgs

Length capacity: 3.8m

Single axle with 4.00-8 4 Ply wheels & tyres

Patented Indespension 'SuperRide' suspension

Hot dipped galvanised steel

A-Frame construction

Winch post inc snubber and grab/lifting handles

Pressed steel hitch and secondary coupling

2 x carpeted support rails

3 x keel rollers

Options include:

10" wheel option

Spare wheel

Lighting set (Lighting Board & Lighting Board Arms)

Jockey wheel

Winch & strap

Triplelock anti-theft hitch



Brenderup

Boat types: AV3500, Mac 360, Mac Attack, SW4000

The large, soft keel and side rollers minimize the force required to load the boat. The hull is perfectly supported under the sides by 2 rails furnished with a smooth and soft rubber profile.

Waterproof wheel bearings as well as the hot galvanized chassis ensure long life and smooth driving.

In addition, the extensive line of accessories, including gangway, brake washing kit, etc. ensure easy and comfortable loading/unloading of the boat as well as long life.

Gross Vehicle Weight: 600Kgs

Unladen weight: 125Kgs

Carrying capacity: 475Kgs

Length capacity: 4.57m

Single axle with 500x10" wheels & tyres

Hot dipped galvanised steel

A-Frame construction

Winch post inc snubber and grab/lifting handles

Pressed steel hitch and secondary coupling

2 x support rails

2 x keel rollers

Options include:

Spare wheel

Jockey wheel



Coaster

Boat types: SW4000, Mac 420 series

Fully adjustable in all dimensions including length.

Multi-height adjustability by sliding clamp and cross member position (above and below chassis).

Gross Vehicle Weight: 750Kgs

Unladen weight: 200Kgs

Carrying capacity: 550Kgs

Length capacity: 4.9m

Patented Indespension 'SuperRide' suspension

Single axle with 500 x 10 6 Ply wheels & tyres

Hot dipped galvanised steel chassis

Adjustable length drawbar

Winch post inc winch, strap and snubber

Indespension cast 50mm ball hitch and secondary coupling

2 x carpeted support rails

2 x self-aligning dumbbell roller assemblies

Adjustable height keel roller and bracket

Jockey wheel

Lighting set (Lighting Board & Lighting Board Arms)

Options include:

Spare wheel & carrier

Triplelock anti-theft hitch

Docking Arms

Bearing Savers



Dinghy Roller

Boat types: SW2400, Mac 270, MR370

Suitable for Dinghies of up to 200Kgs, the 'Dinghy 2' trailer has an adjustable length capacity to take Dinghies of up to 14' 6

Carrying capacity: 200Kgs

Length capacity: 4.4m

Single axle with 4.8 x8" wheels & tyres

Hot dipped galvanised steel

T-Frame construction

Rear, height & width adjustable rubber rollers supports

Rear height adjustable rubber roller keel support

Pressed steel hitch and secondary coupling

Options include:

Lightboard

Spare wheel

Jockey wheel